DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C.: D - 01 - 2012

Serial No.

Test Booklet Series



TEST BOOKLET

PHARMACY

PAPER - I

Time Allowed: 2 Hours

Maximum Marks: 200

: INSTRUCTIONS TO CANDIDATES :

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING HB PENCIL.
- You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- This Test Booklet contains 100 items (questions). Each item (question) comprises of four responses (answers). You will select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- 5. You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using HB pencil. See instructions in the Answer Sheet.
- All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked (darkened) by you in the Answer Sheet. There will be negative markings for wrong answers. 25 percent of marks allotted to a particular response (answer) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses (answers) to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your Admission Certificate.
- 8. After you have completed filling in all your responses (answers) on the Answer Sheet and the examination has concluded, you should hand over to the Invigilator the Answer Sheet and the Test Booklet issued to you.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

- The Committee appointed by Government of India to look into the drug industry and various aspects of drugs like licensing, price control, imports, role of foreign sector, quality control was headed by:
 - (a) Mudaliar
 - (b) Bhatia
 - (c) Hathi
 - (d) Bhore
- 2. The Poison Act was introduced in the year:
 - (a) 1878
 - (b) 1894
 - (c) 1919
 - (d) 1930
- One of the following is not correct in the main of objectives of PharmacyAct, 1948 of India:
 - (a) Restoration of pharmacy profession in its due place in the health service
 - (b) Raising the status of pharmacy profession
 - (c) To regulate the practice of pharmacy
 - (d) To have common syllabus of pharmacythroughout India
- Fine for false claim to be a registered pharmacist on first conviction is:
 - (a) Rs. 500

- (b) 6 months imprisonment
- (c) Rs. 1,000
- (d) Both fine and imprisonment
- 5. The main objective of Drugs and Cosmetics Act, 1940 and subsequent amendments is to regulate the import, manufacture, distribution and sale of drugs and cosmetics of allopathy and the following categories except:
 - (a) Ayurveda
 - (b) Siddha
 - (c) Unani Tibb
 - (d) Homoeopathy
- One of the following does not come under the purview of PCI:
 - (a) Education regulations
 - (b) Recognition of foreign qualification
 - (c) Approval of pharmacy institutions and withdrawal of approvals
 - (d) Issuing licenses to pharmacists
- 7. The sale of opium to the State Governments or manufacturing chemists is made by Central Government Opium Factory located at:
 - (a) Ghaziabad
 - (b) Ghazipur
 - (c) Ghorakhpur
 - (d) Goa

(Turn over)

8.	Pha	armacy Council of India was	3		Sido	dha and Unani drug is required to be
	con	stituted in which year?			mac	de in :
	(a)	1949			(a)	Form 24-D
	(b)	1948			(b)	Form 48
	(c)	1947			(c)	Form 25-E
	(d)	1950			(d)	Form 24-E
9.	All	products of parenteral use are listed	Ĺ	13.	Drug	gs to be taken under the medical
	und	er the following Schedule:		×	sup	ervision are included under the
	(a)	A			follo	wing Schedule :
	(b)	В			(a)	E
	(c)	С			(b)	G
	(d)	D .			(c)	Н
10.	The	total number of State Pharmacy	,		(d)	K
	Cou	uncil members are :		14.	The	Drugs (Price Control) Order, 1995
	(a)	10				s not take into account one of the
	(b)	15			follo	owing in fixing the retail price:
	(c)	20			(a)	Material cost and conversion cost
	(d)	25			(b)	Packing material and packing
11.	The	first edition of Indian Pharmacopoeia	ľ.			charges
	was	out in :			(c)	Excise duty
	(a)	1945			(d)	Local taxes
	(b)	1950		15.	Nev	v drugs developed through research
	(c)	1955				exempted from price control for a
	(d)	1960		¥		od of :
12.	App	olications for grant or renewal of			(a)	5 years
	8.6	nse for manufacturing Ayurvedic,			(b)	10 years
BQ	– 1A	√16	(2)		p.	Contd.
		Table 1	. ,			

	(c)	15 years			(b)	Phase II
	(d)	20 years			(c)	Phase III
16.	As.	per the Shops and Establishment Act	t	222	(d)	Phase IV
	you	ing persons (12-18 years) should not		20.	The	e list of diseases and ailments that a
	be	made to work more than one of the	:			g should not claim to cure are giver
	follo	owing hours per day:				he following schedule of Pharmacy
	(a)	4 hours				, 1940 :
	(b)	6 hours			(a)	Н
	(c)	8 hours			(b)	
	(d)	10 hours			(c)	K
17.	For	ms used to send a memorandum to	i.		(d)	M
	Gov	vernment Analyst under Schedule Ais	e e	24	T .	Biometric Boundaries
	don	ne in :		21.		Drugs and Magic Remedies Act
	(a)	Form 14-A				ne into force in :
	(b)	Form 18 and 18-A			(a)	1953
	(c)	Form 15			(b)	1954
	(d)	Form 19			(c)	1955
18.	Lice	ense for retail of drugs specified in			(d)	1956
		nedule X is given in the following form:		22.	Αγι	rvedic preparations containing less
	(a)	20-A			thai	n the following % of self generated
	(b)	20-B			alco	phol are exempted from excise duty as
	(c)	20-F		is	per	the Medicinal and Toilet Preparations
		20-G			(Ex	cise Duties) Act, 1955 :
46			×		(a)	1%
19.		effectiveness of the new drug is			(b)	2%
		firmed in one of the following phases linical trials:			(c)	3%
		Phase I			(d)	4%
BQ	– 1A	<i>J</i> 16	(3)			(Turn over)

- 23. One of the following is not a member of the IAEC:
 - (a). Biologist
 - (b) Veterinarian
 - (c) Social worker
 - (d) Advocate
- 24. One of the following is not an essential commodity as per the Act 1955:
 - (a) Raw Jute
 - (b) Cotton Textiles
 - (c) Petroleum Products
 - (d) Raw Wool
- 25. Under New Drug Policy, 1994, with National Drug Authority, the Central Government has the responsibility of granting license itself to the following except:
 - (a) Large volume parenterals
 - (b) Sera and vaccines
 - (c) Whole human blood and blood products
 - (d) Small volume parenterals
- 26. As per the Code of Pharmaceutical Ethics a registered pharmacist can not do the following except:
 - (a) Dispense drugs on humanitarian grounds

- (b) Render first acid in emergencies
- (c) Prescribe remedies in emergencies
- (d) Can practice medicine in emergencies
- 27. As per the Shops and Establishment Act pharmacies differ from others in one of the following:
 - (a) Hours of work for employees
 - (b) Cleanliness ventilation and lighting
 - (c) Wages for employees
 - (d) Opening and closing times
- 28. The first National Institute for Pharmacy Education and Research (NIPER) was started at:
 - (a) Banaras
 - (b) Chennai
 - (c) Mohali
 - (d) Chandigarh
- 29. Regarding functions of the Pharmacy Councils in India one of the following is not correct:
 - (a) A State Council takes care of the corresponding State
 - (b) A State Council can serve the need of another State
 - (c) There can be Joint Council to serve the need of both the States
 - (d) The Central Council can also serve the need of a State

BQ - 1A/16

(4)

Contd.

		26
3	80. As per the Medicinal and Toilet Preparations	(b) Leaf
	Act, "Bonded Laboratories" means :	(c) Berries
	(a) Excise duty has not been paid	(d) Seeds
	(b) Excise duty has been paid(c) Excise duty need not be paid	35. The following species Rauwolfia is
	(d) None of the above	indigenous to West Indies:
3	1. In one of the following alkaloids, the	(a) R. Serpentina
	nitrogen atom is secondary amine :	(b) R. Vomitoria
	(a) Mescaline	(c) R. Nitida
	(b) Ephedrine	(d) R. Tetraphylla
	(c) Atropine	36. The following are involved as precursors
	(d) d-tuboaurarine	for the biosynthesis of cinchona alkaloids
20		except:
32	2. Asiaticosides are present as active constituents in :	(a) Indole
		(b) Anthanilic acid
	(a) Nuxvomica	(c) Tryptophan
	(b) Opium	(d) Geraniol
	(c) Tulsi	37. The poting population of the second
	(d) Brahmi	37. The active constituents in senna and aloes are Anthracene:
33.	. Opium is the dried latex obtained by	(a) Alkaloids
	vertical incisions of the following part of	
	papaver somniferum :	(b) Glycosides
ř	(a) Ripe capsules	(c) Polymers
	(b) Unripe capsules	(d) Esters
350	(c) Semiripe capsules	38. Spanish foxglove is :
	(d) All of the above	(a) Digitalis purpurea
34.	The alkaloidal content in atropa bella-	(b) Digitalis lanata
	donna is highest in the following part:	(c) Digitalis lutea
	(a) Root	(d) Digitalis thapsi
BQ	- 1A/16 (5)	(Turn over)

(Turn over)

	*		a a
39.	The botanical name for Tulsi is :	43.	The first edition of Pharmacopoeia of
	(a) Thevelia nerifolia		India was published in :
	(b) Tinospora cordifolia		(a) 1936
· V.	(c) Triticum aestivum		(b) 1946
	(d) Oscimum sanctum		(c) 1955
40.	The primary metabolites for alkaloid		(d) 1966
	synthesis in plants are :	44.	Hydrolytic Resistance Test is performed
	(a) Carbohydrates		on glass in order to find out:
	(b) Amino acids	18	(a) Mechanical strength
	(c) Proteins		(b) Quality
	(d) Peptides		(c) Limit of alkalinity liberated by it
41.	A lubricating cream should possess the		(d) Impermeability
	following properties except:	45.	The approximate capacity of the capsule
	(a) It should spread easily		numbe zero is :
	(b) It should not have good skin		(a) 950 mg
	absorption		(b) 450 mg
	(c) It should not be sticky in nature		(c) 300 mg
	(d) It should be smooth in nature with less oiliness		(d) 100 mg
42.	In limulus Amoebocyte Lysate Test the	46.	Schick Test is performed to test the
	extract from the blood ce!l of which		degree of immunity of an individual
ā,	crustacea is used :		against:
	(a) Octopus		(a) Syphilis

(c) Lobsters

(b) Horse Shoe Crab

(d) Elephant Shoe Crab

(b) Tetanus

(c) Tuberculosis

(d) Diphtheria

	,	
47	. How much quantity of 60% alcohol	51. Hoffman elimination is seen in :
	required to make one liter of 45% of	(a) d-Tubocurosine
	alcohol?	(b) Atrocurium
	(a) 2 liter	(c) Hexamethonium
	(b) 500 ml	(d) Ether
	(c) 300 ml	52. Aspirin is lipid soluble when the medium has:
	(d) 750 ml	(a) LowpH
48.	Avoid cheese, chocolate and red meat	(b) High pH
	in patient those who are under therapy:	(c) Both of the above
	(a) Benzodiazepines	(d) None of the above
	(b) Phenothizines	53. Which drug generally obey zero order kinetics?
	(c) MAO inhibitors	(a) Alcohol
	(d) Prednisolone	(b) Ampicillin
49.	Transdermal drug delivery system has	(c) Atenolol
	the following advantages except:	(d) Adrenalin
	(a) Side effects are reduced	54. Which antihistamine is now withdrawn
	(b) Patient compliance is improved	from market due to its cardic toxicity?
	(c) First pass metabolism is not avoided	(a) Terfenadine
	(d) Duration of action is increased	(b) Fexofenadine
	(d) Duration of action is increased	(c) Cetrizine
50.	Drug which produce malignant hyper-	(d) Loratidine
	thermia is :	55. Which bird is generally taken for the bio-
	(a) Diazepam	assay of digitalis?
	(b) Halothane	(a) Parrot
	(c) Chloroquine	(b) Pigeon
	· · · · · · · · · · · · · · · · · · ·	(c) Sparrow

(d) Phenytoin

BQ - 1A/16

(c) Sparrow

(Turn over)

(d) Fowl

(7)

56	. vvni	ich is not a brand name of amlodipine	? 6	1. W	hich is a inhaled corticosteroids?
	(a)	NUMLO		(a)) Hydrocortisone
	(b)	ATCOM		(b)	Budesonide
	(c)	AMTAS		(c)	Prednisolone
	(d)	STAMLO		(d)	Dexamethasone
57.	Whi	ich is a non-BZD newer hypnotics?	6	2. W	hich is not a brand name of Ibuprofen?
	(a)	Zileuton		(a)	BRUFEN
	(b)	Zoledronate		(b)	SUGAFEN
	(c)	Zolpidem		(c)	TABALON
10	(d)	Zolmitriptan		(d)	TORVIN
	(a) (b) (c) (d) Whice (a) (b) (c)	treatment of Morphine dependence drug used is Naloxone Disulfiram Methadone Midazolam ch is a potent mineralocorticoid? Dexamethasone Fludrocortisone Prednisolone Hydrocortisone	6.	(a) (b) (c) (d) 4. For excess	e minimum area requirement for store- om of a 700 beds hospital is: 1000 sq. feet 1600 sq. feet 2400 sq. feet 3600 sq. feet drugs which are given as enteric ated tablet, all the following are true, eept: Drugs which are destroyed in the
60					acidic medium of the stomach
ΟU.		Pyrogen Test which animal is taken xperiment ?			Produce irritation in stomach
	(a) I	34 000C 90			Absorption takes place in intestine
	(b) (Early action of drug is required
	3.502 6	Rabbit	65		ich vaccine is prepared from live teria?
	(d) ł	Hamster		(a)	Cholera
BQ -	– 1 A /	16	(8)		Contd.

http://recruitmentsyllabus.com/

	(b)	Typhoid	19	(b) 1.113
	(c)	BCG		(c) 1.313
	(d)	Pertussis	и	(d) 1.413
66.		ich is a tri-cyclic antidepressant? Fluoxetine	7.1.	. Which is not true for evaluation of suspensions?
	(c)	Paroxetine Amoxapine Sertaline		(a) Determination of rate of sedimentation(b) Determination of viscosity
67.	(a) (b) (c)	ich is the most potent opioid analgesic? Pentazocin MORPHINE FENTANYL Buprenorphine	72.	 (c) Determination of Zeta potential (d) Determination of pH and stabilising agent 2. For a good ophthalmic solution the dispersed particle should be very fine in size:
68 .	Wh Nife (a)	nich one is the brand name of edipine? Cardilox Calcigard		 (a) Not greater than 5 micron (b) Not greater than 10 micron (c) Not greater than 15 micron (d) Not greater than 20 micron
69.	(d)	Calaptin Corvadil assay gives the idea about	73	3. Which one is a synthetic anionic emulsifying agent? (a) Benzalkonium
.ti	(a) (b) (c)	he test drug. Unit quantity of the drug Efficacy of the drug Safety of the drug Chemical structure of the drug	74	(b) Sodium lauryl sulfate (c) Cetyl trimethyl ammonium bromide (d) Tragacanth I. For preparation of a primary emulsion by
70.	Acc 20°	cording to I. P. Syrup has density at PC is:	6	peppermint oil the Oil: Water: Gum should be: (a) 4:2:1
BQ	- 1/	A/16	(9)	(Tum over)

	(b)	3:2:1	79	. Wh	ich phosphodiesterase inhibitor car)
	(c)	2:2:1		be (used in congestive heart failure?	
	(d)	1:2:1		(a)	Midazolam	
75	16 -	· · · · · · · · · · · · · · · · · · ·		(b)	Mitrinone	
75.		in object or a solution absorbs blue		(c)	Mivacurium	
		nt then the transmitted colour will be:		(d)	Miltefosin	
12		Green	80	. Wh	ich is a atypical antipsychotic drug?	
	(b)	Yellow			Haloperidol	
	(c)	Violet		10 4	Olanzapine	
	(d)	Blue		(c)	Thioridazine	
76.	All	are essential components of			Penfluridol	
		primete except :	_			
	(a)	Photo cell	81.		ich is a anabolic steroid?	
	(b)	Galvanometer		1000 1000	Stanozolol	
		A light source		281 129	Salmeterol	
				(c)	Satranidazol	
	(u)	Thermometer		(d)	Sotalol	
77.	Nep	phlometer is used to determine:	82.	Еро	xide intermediates are formed	
	(a)	Concentration of Nephron in Kidney		durir	ng metabolism of which drug?	
	(b)	Number of Nephron in Kidney		(a)	Alcohol	
	(c)	Concentration of a dispersed phase		(b)	Paracetamol	
		of a suspension		(c) l	Procaine	
	(d)	Concentration of radiation of the	×	(d) (Clozapine	
		substance	83.	For	bio-assay of Vit. B ₁₂ , the micro-	
78	Whi	ch is a angiotensin receptor blocker?			nism taken is:	ä
•		Telmisartan		(a) i	Lactobacilus leichmannii	
					Lactobacilus acidophilus	
	150	Terazocin	•		Lactobacilus plantarum	
		Ticlopidine			Lactobacilus rhamnosus	
3	(d)	Timolol		\-/ -		
BQ -	- 1A	/16	10)		Contd.	

http://recruitmentsyllabus.com/

84.	All	drugs excretion is enhanced in	n	(t) Accumulates in the cellular lipids
	alka	aline urine except :		(0	e) Highly protein bound
4	(a)	Salicylate		(0) Should be given by oral route only
	(b)	Pethidine	89	9. W	/hich of the following is an example of
	(c)	Barbiturate			nysiological antagonism?
	(d)	Sulfadoxine		(a) Protamine in case of heparin toxicity
85.	Rey	ve's syndrome occurs in children i	if	(b) Terbutaline in leukotrienes mediated
	hav	ing viral infection, takes the drug:	20		bronchoconstriction
	(a)	Aspirin		(0) Reduction of anticoagulant effect of
1	(b)	Paracetamol			warfarin in presence of phenobar-
20	(c)	Ampicillin	7		bitone
	(d)	Ibuprofen		(0) Urinary alkalisers for poisoning due
86.	Wh	ich of the following drug is not giver	า		to salicylates
	by i	ntravenous root?	90). M	icrosomal enzymes induction can
101	(a)	Heparin		re	sult:
v	(b)	Nitroglycerine		(a) Tolerance
	(c)	Neomycin		(b) Dependence
	(d)	Linezolide		(0) Super sensitivity to drug
87.	Wh	ich one of the following drug can be	€	(0) Drug toxicity
	safe	ely given to G-6-PD deficient patient	? 91	1. TI	nerapeutic drug monitoring is indicated
	(a)	Vitamin K (water soluble derivatives		in	
	(b)	Primaquine		(a) Insulin therapy
	(c)	Dapsone		(b) Anti hypertensive therapy
	(d)	Propranolol		(C) Lithium
88.	Wha	at is true regarding the highly ionized	1 .	(d) Oral anticoagulant
	drug	j?	92) in	phase I clinical trial Mr. X was given
	(a) Mainly excreted by the kidney		J.		ew drug. The clearance and volume of
0.0		40	3335		
RQ.	– 1A	VΤΌ	(11)		(Turn over)

distribution in Mr. X is 1.296 L/hr and 75 L respectively. The half life of drug will be:

- (a) 20 hr
- (b) 40 hr
- (c) 80 hr
- (d) 120 hr
- 93. Which of the following drug shows therapeutic window phenomenon?
 - (a) Diazepam
 - (b) Insulin
 - (c) Warfarin
 - (d) Imipramine
- 94. A 8 days old new born is suffering from unconjugated hyperbilirubinaemia, the risk of kernicterus will be increased with the use of the following drug:
 - (a) Sulphonamide
 - (b) Phenobarbitone
 - (c) Amoxycilline
 - (d) Amikacin
- 95. Which of the following statement regarding loading dose is true?
 - (a) Aim is to quickly achieve therapeutic concentration
 - (b) It is done to individualize the therapy
 - (c) It is always single drug administration

- (d) It is governed by clearance and plasma half life
- 96. Regarding the controlled release of dosage form of drug, which of the following statement is not true?
 - (a) Bioavailability of some drug can be improved
 - (b) It can improve patient's compliance
 - (c) Drugs with short half lives are not suitable for making controlled release preparations
 - (d) Dose dumping can lead to drug toxicity
- 97. Which of the following is not an example of targeted drug delivery system?
 - (a) Nano particles
 - (b) Drug eluting stent
 - (c) Pilocarpine ocusert
 - (d) Transdermal system
- 98. Therapeutic index of drug is a indicator of:
 - (a) Safety
 - (b) Potency
 - (c) Efficacy
 - (d) Potency and Efficacy

BQ - 1A/16

(12)

Contd.

- 99. What is not correct regarding the drug allergy?
 - (a) It is immunologically mediated reaction
 - (b) It is because of use of large doses
 - (c) It is also called hypersensitivity
 - (d) It may occur even with use of small doses

- 100. What is the best description for Orphan Drug?
 - (a) Actions are mediated through orphan receptors
 - (b) It has placebo like effects
 - (c) Required to treat or prevent a rare diseases
 - (d) It is always very cheap drug